



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

Supernatural Trim Sealant

Revision 2

Revision date 2011-10-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Supernatural Trim Sealant
--------------	---------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC32] Polymer preparations and compounds; [AC1] Vehicles;
-------------	---

Restricted use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC32] Polymer preparations and compounds; [AC1] Vehicles;
----------------	---

1.3. Details of the supplier of the safety data sheet

Company	Dodo Juice Limited
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.dodojuice.com
Telephone	+44(0)1279 813222
Email address of the competent person	factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number	+44(0)7891 096802
Company	Dodo Juice Ltd 24 hr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xn; R40-65 N; R51/53 Symbols: Xn: Harmful. N: Dangerous for the environment.
------------------------------------	---

Main hazards	Limited evidence of a carcinogenic effect. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.
--------------	---

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Kerosine - unspecified - solvent naphtha (petroleum), heavy arom.	649-424-00-3	64742-94-5	265-198-5		30 - 40%	Xn; R65
Naphthalene (Naphtalene)	601-052-00-2	91-20-3	202-049-5		1 - 10%	Carc. Cat. 3; R40 Xn; R22 N; R50/53

Supernatural Trim Sealant

Revision 2

Revision date 2011-10-18

3.2. Mixtures

SECTION 4: First aid measures**4.1. Description of first aid measures**

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Irritating to respiratory system. May cause dizziness and headache. Inhalation may cause nausea and vomiting.
Skin contact	Irritating to skin.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Immediate medical attention is required.
Ingestion	Immediate medical attention is required.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

	Use as appropriate: Carbon dioxide (CO ₂), Dry chemical, Foam.
--	--

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes. Vapours are heavier than air. Vapour may travel considerable distance to source of ignition and flash back.
--	---

5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing. Cool fire exposed containers with waterspray.
--	---

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

	Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all sources of ignition. Evacuate personnel to a safe area. Do not breathe gas/fumes/vapour/spray.
--	---

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Keep away from sources of ignition - No smoking.
--	---

7.3. Specific end use(s)

Supernatural Trim Sealant

Revision 2

Revision date 2011-10-18

7.3. Specific end use(s)

When using do not smoke. Do not breathe gas/fumes/vapour/spray.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Naphthalene (Naphtalene)	DIR: 91/322	8hTWA ppm: 10
	8hTWA mg/m ³ : 50	STEL ppm: -
	STEL mg/m ³ : -	NOT: -

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Clear
Odour	Aromatic
Freezing Point	< -60 °C
Boiling point	182 °C
Flash point	62 °C (ASTM D-93)
Upper Explosive Limit	7.5 %
Lower Explosive Limit	0.8 %
Vapour pressure	666 Pa
Relative density	0.782 (Water = 1 @ 20 °C)
Viscosity	1.29 mm ² /sec (ASTM D7042)
Solubility	Insoluble in water

9.2. Other information

VOC (Volatile organic compounds)	679 g/l
----------------------------------	---------

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No Significant Hazard.

10.4. Conditions to avoid

Keep away from sources of ignition - No smoking.

10.5. Incompatible materials

Strong oxidising agents.

Supernatural Trim Sealant

Revision 2

Revision date 2011-10-18

10.6. Hazardous decomposition products

	Burning produces obnoxious and irritating fumes. Carbon oxides.
--	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	May cause degreasing of the skin.
Serious eye damage/irritation	Irritating to eyes.
Respiratory or skin sensitisation	Prolonged or repeated exposure may cause: Headache, dizziness, drowsiness, nausea and other CNS effects.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	Limited evidence of a carcinogenic effect.
Reproductive toxicity	No teratogenic effects reported.

11.1.4. Toxicological Information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data available
	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

12.6. Other adverse effects

	None.
--	-------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Do not empty into drains; dispose of this material and its container in a safe way.
--	---

General information

	Dispose of in compliance with all local and national regulations.
--	---

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

	UN3082
--	--------

14.2. UN proper shipping name


	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 5% naphthalene)
--	---

14.3. Transport hazard class(es)

Supernatural Trim Sealant

Revision 2

Revision date 2011-10-18

14.3. Transport hazard class(es)	
ADR/RID	9
Subsidiary risk	-
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
ADR/RID	
Hazard ID	90
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-F
IATA	
Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction (Passenger)	964
Maximum quantity	450 L
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessment	
	No data available.
Labelling	
Symbols	The product is classified in accordance with 67/548/EEC. Xn: Harmful. N: Dangerous for the environment. 
Risk phrases	R40 - Limited evidence of a carcinogenic effect. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed.
Safety phrases	S29 - Do not empty into drains. S36/37 - Wear suitable protective clothing and gloves. S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Supernatural Trim Sealant

Revision 2

Revision date 2011-10-18

SECTION 16: Other information**Other information**

Text of risk phrases in Section 3	R22 - Harmful if swallowed. R40 - Limited evidence of a carcinogenic effect. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed.
Maximum content of VOC	679 g/l.

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--