

STJÄRNAGLOSS

SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/6

Stjarnagloss Fantastisk Hybrid Car Wax

Revision 1

Revision date 2022-02-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--------------|----------------------------------------|
| Product name | Stjarnagloss Fantastisk Hybrid Car Wax |
|--------------|----------------------------------------|

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Use | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC31] Polishes and wax blends; [AC1] Vehicles; ----- [SU21] Consumer uses: Private households (= general public = consumers); [PC31] Polishes and wax blends; [AC1] Vehicles; |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

1.3. Details of the supplier of the safety data sheet

| | |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Company | Stjarnagloss |
| Address | Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK |
| Web | www.stjarnagloss.com |
| Telephone | +441279 812687 |
| Email | info@stjarnagloss.com |
| Email address of the competent person | factory@dodojuice.com |

1.4. Emergency telephone number

| | |
|----------------------------|-------------------------------|
| Emergency telephone number | 07891096802 |
| Company | Stjarnagloss 0700-2300 hrs |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| | |
|--------------------------------------|-----------|
| 2.1.2. Classification - EC 1272/2008 | : EUH066; |
|--------------------------------------|-----------|

2.2. Label elements

| | |
|------------------|----------------------------------------------------------------|
| Hazard Statement | EUH066 - Repeated exposure may cause skin dryness or cracking. |
|------------------|----------------------------------------------------------------|

2.3. Other hazards

| | |
|---------------|-------|
| Other hazards | None. |
|---------------|-------|

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Stjarnagloss Fantastisk Hybrid Car Wax

Revision 1

Revision date 2022-02-17

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|--------------------------------------------------------------------|-----------|---------|-----------|---------------------------|--------------|----------------------------|
| Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics | | | 926-141-6 | | 50 - 60% | EUH066; Asp. Tox. 1: H304; |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation | Move the exposed person to fresh air. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist. |
| Skin contact | Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. |
| Ingestion | DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------|-------------------------------------------------------------------------------------|
| Inhalation | May cause irritation to mucous membranes. |
| Eye contact | May cause irritation to eyes. |
| Skin contact | May cause irritation to skin. Repeated exposure may cause skin dryness or cracking. |
| Ingestion | Ingestion may cause nausea and vomiting. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|--|--------------------------------------------------------------------------|
| | If you feel unwell, seek medical advice (show the label where possible). |
|--|--------------------------------------------------------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--|------------------------------------------------------------------------------------------------|
| | Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical. Water spray. Do NOT use water jet. |
|--|------------------------------------------------------------------------------------------------|

5.2. Special hazards arising from the substance or mixture

| | |
|--|---------------------------------------------------------|
| | Burning produces irritating, toxic and obnoxious fumes. |
|--|---------------------------------------------------------|

5.3. Advice for firefighters

| | |
|--|-----------------------------------------------------|
| | Wear suitable respiratory equipment when necessary. |
|--|-----------------------------------------------------|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|--|---------------------------------------------------------------------------------------------------------------|
| | Ensure adequate ventilation of the working area. Surfaces contaminated with the product will become slippery. |
|--|---------------------------------------------------------------------------------------------------------------|

6.2. Environmental precautions

| | |
|--|-------------------------------------------------------------------------|
| | Do not allow product to enter drains. Prevent further spillage if safe. |
|--|-------------------------------------------------------------------------|

6.3. Methods and material for containment and cleaning up

| | |
|--|-------------------------------------------------------------------|
| | Sweep up. Transfer to suitable, labelled containers for disposal. |
|--|-------------------------------------------------------------------|

6.4. Reference to other sections

| | |
|--|---------------------------------------------------|
| | SECTION 8: Exposure controls/personal protection. |
|--|---------------------------------------------------|

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--|--------------------------------------------------------------------------------------------------------|
| | Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled |
|--|--------------------------------------------------------------------------------------------------------|

Stjarnagloss Fantastisk Hybrid Car Wax

Revision 1

Revision date 2022-02-17

7.2. Conditions for safe storage, including any incompatibilities

containers.

7.3. Specific end use(s)

Avoid prolonged or repeated exposure. Wash hands after handling the product.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

| | | |
|--------------------------------------------------------------------------|------------------------------------------------|--------------------------------------------------|
| Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics | WEL 8-hr limit ppm: | WEL 8-hr limit mg/m3: 1200 |
| | WEL 15 min limit ppm: | WEL 15 min limit mg/m3: |
| | WEL 8-hr limit mg/m3 total inhalable dust: | WEL 15 min limit mg/m3 total inhalable dust: |
| | WEL 8-hr limit mg/m3 total respirable dust: | WEL 15 min limit mg/m3 total respirable dust: |

8.2. Exposure controls

| | |
|-----------------------------------------|--------------------------------------------------|
| 8.2.1. Appropriate engineering controls | Ensure adequate ventilation of the working area. |
| 8.2.2. Individual protection measures | Wear suitable protective clothing. |
| Eye / face protection | Not normally required. Avoid contact with eyes. |
| Skin protection - Handprotection | Chemical resistant gloves (PVC). |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---------------------------|----------------------------------------------------------------------|
| Appearance | Solid |
| Colour | Green |
| Odour | Mild |
| Odour threshold | No data available |
| pH | No data available |
| Melting point | 55 - 85 °C |
| Freezing Point | No data available |
| Initial boiling point | 199 - 260 °C |
| Flash point | > 62 °C (ASTM D-93) |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Upper Explosive Limit | 7 % |
| Lower Explosive Limit | 0.5 % |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Relative density | 0.863 (H2O = 1 @ 20 °C) |
| Fat Solubility | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | > 200 °C |
| Viscosity | > 10000 x 10 ⁻⁶ m ² /s @ 40 °C (ISO 3104/3105) |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | Insoluble in water |

Stjarnagloss Fantastisk Hybrid Car Wax

Revision 1

Revision date 2022-02-17

9.2. Other information

| | |
|----------------------------------|-------------------|
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic compounds) | 510 g/l |
| Conductivity | No data available |
| Surface tension | No data available |
| Gas group | No data available |

SECTION 10: Stability and reactivity

10.1. Reactivity

No Significant Hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------------|---------------------------------------|
| Acute toxicity | No data is available on this product. |
| Skin corrosion/irritation | May cause irritation to skin. |
| Serious eye damage/irritation | May cause irritation to eyes. |
| Respiratory or skin sensitisation | No data is available on this product. |
| Germ cell mutagenicity | No data is available on this product. |
| Carcinogenicity | No data is available on this product. |
| Reproductive toxicity | No data is available on this product. |
| STOT-single exposure | No data is available on this product. |
| STOT-repeated exposure | No data is available on this product. |
| Aspiration hazard | No Significant Hazard. |
| Repeated or prolonged exposure | May cause degreasing of the skin. |

11.1.4. Toxicological Information

| | | |
|--------------------------------------------------------------------|------------------------------------|-------------------------------|
| Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics | Oral Rat LD50: 5000mg/kg | Dermal Rabbit LD50: 5000mg/kg |
| | Inhalation Rat LC50/4 h: >5000mg/l | |

SECTION 12: Ecological information

12.1. Toxicity

Stjarnagloss Fantastisk Hybrid Car Wax

Revision 1

Revision date 2022-02-17

12.1. Toxicity

| | | |
|--------------------------------------------------------------------------|---------------------------------------------------------------|-----------------------------------|
| Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics | Algae IC50/72h: 20.0000 mg/l | Algae EC50/72h: >1000mg/l |
| | Daphnia LC50/48h: >1000 mg/l | Rainbow trout LC50/96h: >1000mg/l |
| | NOEC / EC10 for marine or freshwater organisms 1.2200 mg/l | |

12.2. Persistence and degradability

| | |
|--|-------------------------------|
| | Expected to be biodegradable. |
|--|-------------------------------|

12.3. Bioaccumulative potential

| | |
|--|---------------------------------------|
| | No data is available on this product. |
|--|---------------------------------------|

Partition coefficient

| | |
|--|-------------------------------------------------------------|
| | Stjarnagloss Fantastisk Hybrid Car Wax No data available |
|--|-------------------------------------------------------------|

12.4. Mobility in soil

| | |
|--|---------------------------------------|
| | No data is available on this product. |
|--|---------------------------------------|

12.5. Results of PBT and vPvB assessment

| | |
|--|---------------------------------------|
| | No data is available on this product. |
|--|---------------------------------------|

12.6. Other adverse effects

| | |
|--|-------|
| | None. |
|--|-------|

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---------------------------------------------------------------------------------------------|
| | 07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics. |
|--|---------------------------------------------------------------------------------------------|

General information

| | |
|--|-------------------------------------------------------------------|
| | Dispose of in compliance with all local and national regulations. |
|--|-------------------------------------------------------------------|

Disposal methods

| | |
|--|-------------------------------------------------------------|
| | Can be incinerated if in compliance with local regulations. |
|--|-------------------------------------------------------------|

SECTION 14: Transport information

14.1. UN number

| | |
|--|----------------------------------------------------------|
| | The product is not classified as dangerous for carriage. |
|--|----------------------------------------------------------|

14.2. UN proper shipping name

| | |
|--|----------------------------------------------------------|
| | The product is not classified as dangerous for carriage. |
|--|----------------------------------------------------------|

14.3. Transport hazard class(es)

| | |
|--|----------------------------------------------------------|
| | The product is not classified as dangerous for carriage. |
|--|----------------------------------------------------------|

14.4. Packing group

| | |
|--|----------------------------------------------------------|
| | The product is not classified as dangerous for carriage. |
|--|----------------------------------------------------------|

14.5. Environmental hazards

| | |
|--|----------------------------------------------------------|
| | The product is not classified as dangerous for carriage. |
|--|----------------------------------------------------------|

14.6. Special precautions for user

| | |
|--|----------------------------------------------------------|
| | The product is not classified as dangerous for carriage. |
|--|----------------------------------------------------------|

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Stjarnagloss Fantastisk Hybrid Car Wax

Revision 1

Revision date 2022-02-17

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

| | |
|--|----------------------------------------------------------|
| | The product is not classified as dangerous for carriage. |
|--|----------------------------------------------------------|

Further information

| | |
|--|----------------------------------------------------------|
| | The product is not classified as dangerous for carriage. |
|--|----------------------------------------------------------|

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

| | |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

15.2. Chemical safety assessment

| | |
|--|---------------------------------------|
| | No data is available on this product. |
|--|---------------------------------------|

SECTION 16: Other information

Other information

Revision

| | |
|--|-------------------------------------------------------------------------------------------------|
| | This document differs from the previous version in the following areas: 12 - 12.1. Toxicity. |
|--|-------------------------------------------------------------------------------------------------|

Text of Hazard Statements in Section 3

| | |
|--|-------------------------------------------------------------------------------------------------------------------------------------|
| | EUH066 - Repeated exposure may cause skin dryness or cracking. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. |
|--|-------------------------------------------------------------------------------------------------------------------------------------|

Maximum content of VOC

| | |
|--|----------|
| | 510 g/l. |
|--|----------|

Further information

| | |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|