

according to Regulation (EU) 2015/830

Page 1/7

Stjarnagloss Forst Citrus Pre-Cleaner

 Revision
 2

 Revision date
 2022-04-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 1. Identification of				
1.1. Product identifier				
Product name	Stjarnagloss Forst Citrus Pre-Cleaner			
1.2. Relevant identified uses of t	he substance or mixture and uses advised against			
Product Use	 [SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles; [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); [AC1] Vehicles: 			
1.3. Details of the supplier of the				
Company	Stjarnagloss			
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK			
Web	www.stjarnagloss.com			
Telephone	+441279 812687			
Email	info@stjarnagloss.com			
Email address of the competent person	factory@dodojuice.com			
1.4. Emergency telephone number				
Emergency telephone number	07891096802			

Emergency telephone number	07891096802
Company	Stjarnagloss
	0700-2300 hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.

 Revision
 2

 Revision date
 2022-04-22

2.2. Label elements	
	Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
	P321 - Specific treatment (see on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Precautionary Statement:	P501 - Dispose of contents/container to hazardous waste.
Disposal	
2.3. Other hazards	
Other hazards	None.
SECTION 3: Composition/int	formation on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium C14-C16 olefin sulphonate		68439-57-6	270-407-8		1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Alcohol ethoxylate with 6.5MEO		68439-46-3			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
sodium metasilicate pentahydrate		10213-79-3	229-912-9		1 - 10%	Skin Corr. 1B: H314; STOT SE 3: H335;
Ethylene glycol monobutyl ether	603-014-00-0	111-76-2	203-905-0		1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
(R)-p-Mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		1 - 10%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.		
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.		
Ingestion	DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.		
4.2. Most important symptoms and effects, both acute and delayed			
Inhalation	May cause irritation to mucous membranes.		
Eye contact	Risk of serious damage to eyes.		

Skin contact Irritating to skin. May cause sensitisation by skin contact.

4.3. Indication of any immediate medical attention and special treatment needed

Copyright © 2022 ChemSoft. All rights reserved.



4.3. Indication of any immediate	medical attention and special treatment r	needed
Eye contact	Immediate medical attention is required	
Ingestion	Immediate medical attention is required	
SECTION 5: Firefighting me	asures	
5.1. Extinguishing media		
	Use as appropriate: Carbon dioxide (C0	02), Dry chemical, Foam.
5.2. Special hazards arising from	n the substance or mixture	
	Burning produces irritating, toxic and ot	noxious fumes.
5.3. Advice for firefighters		
	Self-contained breathing apparatus. We	ar protective clothing.
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedu	res
	Ensure adequate ventilation of the work	ing area. Wear suitable protective equipment.
6.2. Environmental precautions		
	Do not allow product to enter drains. Pr	event further spillage if safe.
6.3. Methods and material for co	ontainment and cleaning up	
	Absorb with inert, absorbent material. T spillage area thoroughly with plenty of v	ransfer to suitable, labelled containers for disposal. Clean vater.
6.4. Reference to other sections		
	SECTION 7: Handling and storage. SE	CTION 8: Exposure controls/personal protection.
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handlin	ng	
	Avoid contact with eyes and skin. Ensu Manual Handling considerations when	e adequate ventilation of the working area. Adopt best nandling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities	
	Keep in a cool, dry, well ventilated area	. Keep containers tightly closed.
7.3. Specific end use(s)		
	Do not breathe gas/fumes/vapour/spray	
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters		
8.1.1. Exposure Limit Values		
(R)-p-Mentha-1,8-diene	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3:

(R)-p-Mentha-1,8-diene	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm: 150	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	 WEL 8-hr limit mg/m3 total - respirable dust: 	WEL 15 min limit mg/m3 total - respirable dust:
Ethylene glycol monobutyl ether	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
	respirable dust.	



 Revision
 2

 Revision date
 2022-04-22

8.2. Exposure controls	
8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour	Pink
	Perfumes
	No data available
pH	12.5 - 12.8
Melting point	No data available
Freezing Point	0 °C
Initial boiling point	100 °C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.015 (H2O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	7 sec. 3 mm (ISO 2431)
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
•	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	11 g/l
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity			
	Stable under normal conditions.		
10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	No Significant Hazard.		
10.4. Conditions to avoid			
	None.		



 Revision
 2

 Revision date
 2022-04-22

10.5. Incompatible materials

	None.
10.6. Hazardous decomposition products	
	Will not decompose if stored and used as recommended.
OF OTION 11. Toxicological information	

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Risk of serious damage to eyes.
Respiratory or skin	Sensitizer, Skin.
sensitisation	
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	Potential for aspiration if swallowed.
Repeated or prolonged	May cause severe irritation to eyes and skin.
exposure	

11.1.4. Toxicological Information

(R)-p-Mentha-1,8-diene	Oral Rat LD50: 4400mg/kg	Dermal Rabbit LD50: >5000mg/kg
Alcohol ethoxylate with 6.5MEO	Oral Rat LD50: >200<2000mg/kg	
Ethylene glycol monobutyl ether	Inhalation Rat LC50/4 h: 2.4mg/l	Oral Rat LD50: 470mg/kg
Sodium C14-C16 olefin	Oral Rat LD50: >2000mg/kg	Dermal Rabbit LD50: 6300-13500mg/kg
sulphonate		
sodium metasilicate	Oral Rat LD50: 1280mg/kg	Oral Mouse LD50: 770mg/kg
pentahydrate		

SECTION 12: Ecological information

12.1. Toxicity

(R)-p-Mentha-1,8-diene	Daphnia EC50/48h: 69.6 mg/l	Fathead minnows LC50/96h: 0.702mg/l
Alcohol ethoxylate with 6.5MEO	Fish LC50/96h: 10.0000 mg/l	
Ethylene glycol monobutyl ether	Daphnia EC50/48h: 1000 mg/l	Fish LC50/96h: 1700.0000 mg/l
MMB (3-methoxy-3-methyl-1-butanol)	NOEC / EC10 for marine or >1000.0000 mg/l freshwater organisms LC50 for marine or freshwater >100.0000 mg/l organisms	EC50 for marine or freshwater >1000.0000 mg/l organisms
Sodium C14-C16 olefin sulphonate	Daphnia EC50/48h: 4.5300 mg/l Fish LC50/96h: 4.2000 mg/l	Algae IC50/72h: 5.2000 mg/l
sodium metasilicate pentahydrate	Daphnia EC50/48h: 4857 mg/l	Fish LC50/96h: 3185.0000 mg/l

12.2. Persistence and degradability

More than 90% biodegradable.

12.3. Bioaccumulative potential

No data is available on this product.

BCF: Bioconcentration factor.



BCF: Bioconcentration factor.		
Sodium C14-C16 olefin sulphonate	BCF: Bioconcentration factor. 70.8 L/kg	
Partition coefficient		
	Stjarnagloss Forst Citrus No data available Pre-Cleaner	
12.4. Mobility in soil		
	Soluble in water.	
12.5. Results of PBT and vPvB a	assessment	
	Not determined.	
12.6. Other adverse effects		
	Harmful to aquatic life with long lasting effects.	
SECTION 13: Disposal cons	derations	
13.1. Waste treatment methods		
	07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.	
General information		
	Dispose of in compliance with all local and national regulations.	
SECTION 14: Transport info	mation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es)		
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for use		
	The product is not classified as dangerous for carriage.	
	Avoid contact with eyes and skin. Do not breathe gas/fumes/vapour/spray.	
14.7. Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory info	ormation	
15.1. Safety, health and environ	nental regulations/legislation specific for the substance or mixture	
	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,	

93/105/EC and 2000/21/EC.



 Revision
 2

 Revision date
 2022-04-22

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Other information		
Revision	This document differs from the previous version in the following areas:. 2 - Hazard pictograms.	
Text of Hazard Statements in Section 3	 Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation. Acute Tox. 4: H312 - Harmful in contact with skin. Acute Tox. 4: H332 - Harmful if inhaled. Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. 	
Maximum content of VOC	11 g/l.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	

