

STJÄRNAGLOSS

SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/8

Stjarnagloss Mork Matt Finish Detailer

Revision 0

Revision date 2019-10-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Stjarnagloss Mork Matt Finish Detailer
--------------	----------------------------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
-------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1.3. Details of the supplier of the safety data sheet

Company	Stjarnagloss
Address	Unit 10 Golds Nurseries Business Park Jenkins Drive Elsenham Bishops Stortford CM22 6JX UK
Web	www.stjarnagloss.com
Telephone	+441279 812687
Email	info@stjarnagloss.com
Email address of the competent person	factory@dodojuice.com

1.4. Emergency telephone number

Emergency telephone number	+447891 096802
Company	Stjarnagloss 7am to 11pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Eye Irrit. 2: H319;
--------------------------------------	-----------------------------------------

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.

Stjarnagloss Mork Matt Finish Detailer

Revision 0

Revision date 2019-10-21

2.2. Label elements

Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use carbon oxides to extinguish.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to hazardous waste.

2.3. Other hazards

Other hazards	None.
----------------------	-------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol	603-117-00-0	67-63-0	200-661-7		10 - 20%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
Ethylene glycol monobutyl ether	603-014-00-0	111-76-2	203-905-0		1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
Isopentyl acetate	607-130-00-2	123-92-2	204-662-3		0 - 0.5%	Flam. Liq. 3: H226;
(R)-p-Mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause drowsiness or dizziness. In severe cases, may cause loss of consciousness. Seek medical attention if irritation or symptoms persist.
Eye contact	Causes serious eye irritation. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Seek medical attention if irritation or symptoms persist.

4.3. Indication of any immediate medical attention and special treatment needed

Stjarnagloss Mork Matt Finish Detailer

Revision 0

Revision date 2019-10-21

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).
Ingestion	If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Carbon oxides.
--	----------------

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---------------------------------------------------------

5.3. Advice for firefighters

	Self-contained breathing apparatus. Wear protective clothing.
--	---------------------------------------------------------------

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all sources of ignition. Evacuate personnel to a safe area.
--	------------------------------------------------------------------------------------------------------------------------------------------------------------

6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	-------------------------------------------------------------------------

6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------

6.4. Reference to other sections

	SECTION 8: Exposure controls/personal protection.
--	---------------------------------------------------

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking.
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------

7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--------------------------------------------------------------------------------------------------------------------

7.3. Specific end use(s)

	Do not breathe gas/fumes/vapour/spray.
--	----------------------------------------

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Stjarnagloss Mork Matt Finish Detailer

Revision 0

Revision date 2019-10-21

8.1.1. Exposure Limit Values

(R)-p-Mentha-1,8-diene	WEL 8-hr limit ppm: 100 WEL 15 min limit ppm: 150 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Ethylene glycol monobutyl ether	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 123 WEL 15 min limit mg/m3: 101.2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Isopropanol	WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3: 1250 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Potassium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Isopropanol	Long-term - inhalation - Systemic effects 500 mg/m ³ Long-term - dermal - Systemic effects 888 mg/kg
-------------	--------------------------------------------------------------------------------------------------------------------

Exposure Pattern - General population

Isopropanol	Long-term - inhalation - Systemic effects 89 mg/m ³ Long-term - dermal - Systemic effects 319 mg/kg Long-term - oral - Systemic effects 26 mg/kg
-------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Stjarnagloss Mork Matt Finish Detailer

Revision 0

Revision date 2019-10-21

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Perfumes/Alcoholic
Odour threshold	No data available
pH	No data available
Melting point	Not applicable.
Freezing Point	-4 °C
Initial boiling point	No data available
Flash point	35 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.967 (H ₂ O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	> 350 °C
Viscosity	8 sec. 3 mm (ISO 2431)
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Miscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	139 g/l

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Oxidising agents.
--	-------------------

10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

10.5. Incompatible materials

	Amines. Strong bases. Strong oxidising agents.
--	------------------------------------------------

10.6. Hazardous decomposition products

	Will not decompose if stored and used as recommended. Burning produces irritating, toxic and obnoxious fumes. Carbon dioxide (CO ₂). Carbon oxides.
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	Causes serious eye irritation.

Stjarnagloss Mork Matt Finish Detailer

Revision 0

Revision date 2019-10-21

11.1. Information on toxicological effects

Respiratory or skin sensitisation	No data is available on this product.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data is available on this product.
STOT-repeated exposure	No data is available on this product.
Aspiration hazard	No data is available on this product.
Repeated or prolonged exposure	Repeated exposure may cause skin dryness or cracking.

11.1.4. Toxicological Information

(R)-p-Mentha-1,8-diene	Oral Rat LD50: 4400mg/kg	Dermal Rabbit LD50: >5000mg/kg
Ethylene glycol monobutyl ether	Inhalation Rat LC50/4 h: 2.4mg/l	Oral Rat LD50: 470mg/kg
Isopropanol	Oral Rat LD50: 5840mg/kg	Dermal Rabbit LD50: 13900mg/kg

SECTION 12: Ecological information

12.1. Toxicity

(R)-p-Mentha-1,8-diene	Daphnia EC50/48h: 69.6 mg/l	Fathead minnows LC50/96h: 0.702mg/l
Ethylene glycol monobutyl ether	Daphnia EC50/48h: 1000 mg/l	Fish LC50/96h: 1700.0000 mg/l
Isopropanol	Fish LC50/96h: 9640.0000 mg/l	Algae EC50/72h: >100mg/l
	Daphnia LC50/24h: 9714mg/l	Bacteria EC10/18h: >100mg/l

12.2. Persistence and degradability

	Readily biodegradable.
--	------------------------

12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

Partition coefficient

	Stjarnagloss Mork Matt Finish Detailer No data available
--	-------------------------------------------------------------

12.5. Results of PBT and vPvB assessment

	PBT no. vPvB no.
--	------------------

12.6. Other adverse effects

	Not determined.
--	-----------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	07 06 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics.
--	---------------------------------------------------------------------------------------------

General information

	Dispose of in compliance with all local and national regulations.
--	-------------------------------------------------------------------

Disposal methods

	Do not empty into drains.
--	---------------------------

Disposal of packaging

	Empty containers can be sent for disposal or recycling.
--	---------------------------------------------------------

SECTION 14: Transport information

Stjarnagloss Mork Matt Finish Detailer

Revision 0
Revision date 2019-10-21

Hazard pictograms

	
--	-----------------------------------------------------------------------------------

14.1. UN number

	UN1993
--	--------

14.2. UN proper shipping name

	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
--	----------------------------------------

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group	III
---------------	-----

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

	None.
--	-------

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	Not relevant.
--	---------------

ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-E
----------	---------

IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Stjarnagloss Mork Matt Finish Detailer

Revision 0

Revision date 2019-10-21

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
 Eye Irrit. 2: H319 - Causes serious eye irritation.
 STOT SE 3: H336 - May cause drowsiness or dizziness.
 Acute Tox. 4: H302 - Harmful if swallowed.
 Acute Tox. 4: H312 - Harmful in contact with skin.
 Skin Irrit. 2: H315 - Causes skin irritation.
 Acute Tox. 4: H332 - Harmful if inhaled.
 EUH066 - Repeated exposure may cause skin dryness or cracking.
 Flam. Liq. 3: H226 - Flammable liquid and vapour.
 Skin Sens. 1: H317 - May cause an allergic skin reaction.
 Aquatic Acute 1: H400 - Very toxic to aquatic life.
 Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Maximum content of VOC

139 g/l.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.